



## DVGW type examination certificate

### DVGW-Baumusterprüfzertifikat

**DW-8316CM0069**

Registration Number  
Registriernummer

<b>Field of Application</b> <i>Anwendungsbereich</i>	products of water supply <i>Produkte der Wasserversorgung</i>
<b>Owner of Certificate</b> <i>Zertifikatinhaber</i>	Zhejiang Weixing New Building Materials Co., Ltd. Middle Baiye Road,Econ.Develop.Zone, CN- Linhai, Zhejiang
<b>Distributor</b> <i>Vertreiber</i>	Zhejiang Weixing New Building Materials Co., Ltd. Middle Baiye Road,Econ.Develop.Zone, CN- Linhai, Zhejiang
<b>Product Category</b> <i>Produktart</i>	plastic pipes for drinking water installations: PP-R, SDR 5 (PN 25) (8316)
<b>Product Description</b> <i>Produktbezeichnung</i>	plastic pipe (PP-R) for the drinking water installation, colour: green
<b>Model</b> <i>Modell</i>	WEIXING
<b>Test Reports</b> <i>Prüfberichte</i>	type testing: 81516/08-I from 24.02.2011 (SKZ) KTW testing: KR 297/10 from 16.02.2011 (TZW) hygienic testing: MO 019/11 from 15.02.2011 (TZW)
<b>Test Basis</b> <i>Prüfgrundlagen</i>	DVGW W 544 (01.05.2007) UBA KTW (16.05.2007) DVGW W 270 (01.11.2007)

**Date of Expiry / File No.** 24.02.2016 / 08-0434-WNE  
*Ablaufdatum / Aktenzeichen*

05.04.2011 G/A-1/2

Date, Issued by, Sheet, Head of Certification Body  
Datum, Bearbeiter, Blatt, Leiter der Zertifizierungsstelle

DVGW CERT GmbH - accredited by Deutsche Akkreditierungsstelle Technik (DATech) in the TGA GmbH for conformity assessment of products of gas and water supply

DVGW CERT GmbH - von der Deutschen Akkreditierungsstelle Technik



DVGW CERT GmbH  
Josef-Wirmer-Straße 1-3  
53123 Bonn

Telefon: +49 228 91 88-888  
Telefax: +49 228 91 88-993



Type <i>Typ</i>	Technical Data <i>Technische Daten</i>	Remarks <i>Bemerkungen</i>
WEIXING	manufacturing group: 1	diameters: 10 up to 63 mm

**Hints of Utilization / Remarks*****Verwendungshinweise / Bemerkungen***

With the test report MO 019/11, date: 15.02.2011 (TZW) it is proven, that the requirements according the standard DVGW W270 (01.11.2007) appendix A.1.1: "Material for the standard application in contact with potable water" are fulfilled.